CUMULATIVE INDEX 1997

Volume 24

March	WOMEN'S HEALTH, pages 1–229
June	OFFICE PROCEDURES, pages 231–468
September	HIV/AIDS MANAGEMENT IN OFFICE PRACTICE, pages 469–697
December	COMPLEMENTARY AND ALTERNATIVE THERAPIES IN PRIMARY CARE, pages 699–999

Note: Page numbers of article titles are in **boldface** type.

Abortion, psychologic aspects of, 96
Abscess, breast, in breast-feeding, 153
Abuse, of adolescent girls, 63
  of women. See *Violence, against women.*
Acetic acid, in colposcopy, 250, 255, 260–261
N-Acetyl cysteine, in HIV infection, 910
Acne, in adolescent girls, 58
Acquired immunodeficiency syndrome. See *Human immunodeficiency virus infection.*
Acupuncture, in chronic pain, 746–748
  in HIV infection, 556, 912–913
Acute retroviral syndrome, in HIV infection, 487–488
Acyclovir, in herpes simplex virus infections, genital, 182–183
    prophylactic, in HIV infection, 567
  in varicella zoster virus infections, in HIV infection, 569–570
Addiction, drug. See *Drug abuse.*
Adenopathy, in HIV infection, 602
Adhesive capsulitis, shoulder, Trager psychophysical integration in, 776
Adjustment disorder with depressed mood, in women, 92
Adolescent girls, **53–65**
  abuse of, 63
  acute health problems in, 57–58
  behavioral disorders in, 61–63
  breast masses in, 157
  chronic illness in, 63
  confidentiality with, 53
  depression in, 62–63
  development of, 53–54
  eating disorders in, 61–62
  gynecologic care of, 58–59
  health promotion and screening in, 55–57
  homeless, 63–64
  legal aspects of, 53
  oppositional disorder in, 62
  parental guidance for, 64
  physical examination of, 54–55
  psychosocial problems in, 61–63
  sexual abuse of, 63
  substance abuse in, 59–61
  suicide in, 62–63
Aerobic exercise, in cardiovascular disease risk reduction, 7–8
Aggravations, in homeopathy, 859
Agoraphobia, in women, 106
AIDS. See *Human immunodeficiency virus infection.*
AIDS-dementia complex, 576–578
Airway, upper, endoscopy of. See *Nasopharyngoscopy.*
Albumin, measurement of, in nutritional assessment, 45
Alcohol use, in adolescent girls, 59–60
  in women, **113–122**
  osteoporosis and, 934
Alendronate, in osteoporosis prevention and treatment, 32–33
Aloe, in psoriasis, 896
Alternative medicine, advice on, 707–708
  anthroposophic perspectives in, **867–887**
  case study on, 708–709
  conventional treatment with, 702
  counseling on, 707–708
  definition of, 730, 950–952
  demographic data on, 700–702
  diet in, **825–843**
  folk medicine in. See *Folk medicine.*
  fraudulent modalities in, 710
  herbs in. See *Herbal medicines.*
  homeopathy in. See *Homeopathy.*
  hypnosis in, **809–823**
  in chronic pain, **743–758**
  in HIV infection, **905–919**
  in integrated care, economic implications of, **949–962**
  in menopause, **921–948**

Alternative medicine (*Continued*)
manual therapy in. See *Manual therapy*.
mind-body therapies in. See *Mind-body therapies*.
negotiating differences and, 707–708
nutrition in, **825–843**
practitioners of, 709
rationality of, 704–705
reasons for choosing, 702–703, 718–719
referral to, 719–720
spirituality in, **963–976**
talking to patients about, **699–714**
utilization of, **715–721**
versus folk medicine, 730–732
Alzheimer's disease, estrogen levels and, 936–937
herbal medicines in, 894
Amenorrhea, in HIV infection, 622
Amikacin, in *Mycobacterium avium* complex infection, in HIV infection, 571
Amla, in hypercholesterolemia, 892
Amniocentesis, 141–142
Amniotic fluid, measurement of, ultrasonography in, 416–417, 423
Amphetamine abuse, in adolescent girls, 60
Amphotericin B, in candidiasis, in HIV infection, 569
in cryptococcosis, in HIV infection, 583
Anabolic steroids, in HIV infection, 523, 599, 909–910
Androgens, production of, in menopause, 923
Anesthesia, for esophagogastroduodenoscopy, 330–331
for flexible sigmoidoscopy, 344
local, for electrosurgical loop excision, 291
for vasectomy, 436, 440–442
topical, for nasopharyngoscopy, 363
Anger, illness and, 790
Angina pectoris, exercise testing in. See *Exercise testing*.
in women, 2
Angiogenesis, endometrial, 316
Animal magnetism. See *Hypnosis*.
Anorexia nervosa, in adolescent girls, 61
Anovulation, dysfunctional uterine bleeding in, 162–163
Anthroposophically extended medicine, **867–887**
background of, 867–869
balance in, 880–882
fourfold human being concept in, 873–874, 887
in digestion, 874–880
in inflammation, 869–873
organizations for, 885
qualitative observations of, 869
rhythm in, 880–882
training for, 868
Antibiotics, anthroposophic view of, 871
prophylactic, in flexible sigmoidoscopy, 344–345
Antidepressants, in depression, 88–90
in panic disorder, 105
in pregnancy, 91
Antioxidants, 39–41
in disease prevention, 831–833
in HIV infection, 556, 910–911
Antipathic treatment, in homeopathy, 849–850
Antiretroviral agents, in HIV infection, **531–560**
alternates to, 554–556
changing of, 553–554
combination therapy with, 551–552, 554
didanosine, 535–537
in pediatric patients, 650–652
in pregnancy, 624–629
in women, 624–629
indinavir, 544–545
initiation of, 547–549
lamivudine, 539–540
monitoring of, 549–550, 552
nelfinavir, 545–546
nevirapine, 540–541
new developments in, 531–532
pharmacology of. See specific drugs.
resistance to, 491, 546–547, 552–553, 627. See also specific drugs.
ritonavir, 543–544
saquinavir, 542–543
selection of, 551–552
stavudine, 538–539
teratogenicity of, 628
toxicity of. See specific drugs.
triple therapy with, 551–552, 554
viral molecular biology and, 532–533, 548
zalcitabine, 537–538, 650
zidovudine. See *Zidovudine*.
Anxiety, hypnosis for, 816–817
mind-body therapy for, 790–791
Anxiety disorders, in women, **103–111**
agoraphobia, 106
cormorbidity with, 108
generalized, 107–108
panic attacks, 104
panic disorder, 104–106
post-traumatic stress disorder, 107
social phobia, 106–107
treatment of, 108
Appetite stimulants, in HIV infection, 522, 599, 909
Appetite suppressants, in weight reduction, in women, 47–48
Arnica, in homeopathy, 857
Arrhythmias, in exercise testing, as complications, 399
revelation of, 397–399

Artemisinin, in malaria, 895
Arthritis. See *Osteoarthritis; Rheumatoid arthritis.*
Assault. See *Violence.*
Assisted reproductive technology, 203
Astrand protocol, for exercise testing, 386, 388
Atovaquone, in *Pneumocystis carinii* pneumonia, in HIV infection, 570
Azithromycin, in chlamydial infections, 180
  in *Mycobacterium avium* complex infection, 565, 571
AZT. See *Zidovudine.*

Bacillary angiomatosis, in HIV infection, 605
Back pain, alternative medicine in, 744
    acupuncture, 747
    manipulation, 750–751
    mind-body therapies, 752–753, 799–800
    myofascial release, 772
    temporomandibular joint syndrome, 772–773
Bacterial vaginosis, 189
  in HIV infection, 622
Balance concept, in anthroposophically extended medicine, 880–882
  in folk medicine, 726
Balke-Ware protocol, for exercise testing, 385–388
Barnes myofascial release technique, 761–773
Barrett's esophagus, endoscopy in, 336
Battered women. See *Violence, against women.*
Behavior focus, in meditation, 797
Behavioral disorders, in adolescent girls, 61–63
Behavioral medicine. See *Mind-body therapies (behavioral medicine).*
Benzodiazepines, in esophagogastroduodenoscopy, 330–331
  in panic disorder, 105
Bereavement, in HIV infection, 614
  perinatal, 96–97
Beta-carotene, in cancer prevention, 41
  in cardiovascular disease prevention, 40
  in disease prevention, 831–832
  in HIV infection, 911
Bicycle exercise testing. See *Exercise testing.*
Bimanual examination, in colposcopy, 261
Biofeedback, in chronic pain, 752
Biomedical model of illness, limitations of, 788–789
Biopsy, cervical, colposcopy in, instruments for, 246–249
    technique for, 259–260
  colon, sigmoidoscopic, 351
  endometrial. See *Endometrial biopsy.*
Biphosphonates, in osteoporosis prevention and treatment, 32–33
Black cohosh, in hot flashes, 932
Bleeding, in electrosurgical loop excision, 295–296
  in nasopharyngoscopy, 371
  nose, nasopharyngoscopy for, 361–362
  uterine, abnormal. See *Dysfunctional uterine bleeding.*
    endometrial biopsy in, 306–307, 319
Blood pressure, exercise testing effects on, 398
Blues, postpartum, versus postpartum depression, 93
Body composition, measurement of, 44–45
Body mass index, in menopause, hormone replacement and, 210
Body mass reduction, in HIV infection, nutritional interventions for, 908–912
Body scan, in relaxation, 793–794, 805
Body weight. See *Weight.*
Bone loss. See *Osteoporosis.*
Bone mass density, measurement of, 28
Boron supplementation, in osteoporosis prevention, 935
Bowel preparation, for flexible sigmoidoscopy, 344–345
Boxwood extract, in HIV infection, 914
Brain disorders, in HIV infection. See *Neurologic complications, of HIV infection.*
BRCA gene mutations, screening for, 18–19
Breast, **147–160**. See also *Breast-feeding.*
  anatomy of, 147–148
  benign disease of, 153–157
    after silicone augmentation, 157
    fibrocystic, 154
    in pediatric patients, 157
    lumps, 154–155
    mastitis, 156–157
    nipple discharge, 155–156
  cancer of, hormone replacement and, 209–210, 937
    prevention of, 16–19
  pain in, herbal medicines in, 890
  physiology of, 147–148
Breast-feeding, benefits of, 148–149
  HIV transmission during, 646–647
  infant problems in, 151–152
  initiation of, 149–151
  maintenance of, 151
  maternal problems in, 152–153
  physiology of, 147–148
  preparation for, 149
Breathing focus, in meditation, 797
Bronchiolitis, herbal medicines in, 895
Bruce protocol and modified protocol, for exercise testing, 385–388, 394
Bulimia, in adolescent girls, 61–62
Bupropion, in depression, 89

CAGE questionnaire, in alcohol use assessment, 117
Calcitonin, in osteoporosis prevention and treatment, 33
Calcium supplementation, 834–835
  in osteoporosis prevention and treatment, 31, 41–42, 935
Cancer, breast, hormone replacement therapy and, 209–210, 937
  cervical, colposcopic examination of. See *Colposcopy*.
    in adolescent girls, 57
  colorectal, screening for, flexible sigmoidoscopy in, 342–343
  contraceptive use and, 126–127
  endometrial, biopsy in. See *Endometrial biopsy*.
    dysfunctional uterine bleeding in, 165–166
    tests for, 166–168
  esophageal, endoscopy in, 336
  gastric, endoscopy in, 337
  mind-body therapy for, 792–793
  prevention of, in women, **15–26**
    breast, 16–19
    cervical, 21–22
    endometrial, 20–21
    nutrition in, 40–41
    ovarian, 19
  upper airway, nasopharyngoscopy in, 360–362
  uterine, hormone replacement therapy and, 218
    prevention of, 20–21
Candidiasis, in HIV infection, 566–569, 602
  in women, 183, 188, 619–620
Cannulas, suction, for endometrial biopsy, 310–311
Capsaicin, in pain management, 890–891
Capsulitis, shoulder, Trager psychophysical integration in, 776
Carbohydrates, dietary guidelines for, 38
Cardiovascular disease, exercise testing in. See *Exercise testing*.
  herbal medicines in, 892–893
  in women, **1–14**
    barriers to care in, 2
    cholesterol and, 5–6
    diabetes mellitus and, 9
    estrogen and, 3–5
    exercise and, 7–8
    exercise testing in, 9–10
    hormone replacement and, 210, 937–939
    hypertension and, 6–7
    menopause and, 2–3, 210
    nutrition and, 39–40
    ontraceptive use and, 127
    patient education on, 11
    risk factors for, 1–2
    screening for, 9–10
    signs and symptoms of, 2
    smoking and, 8–9
    stress and, 10
    weight control and, 7–8
Caregivers, of HIV-infected persons, **677–690**
    care of, 614–615
    families as, 684–686, 688
    health care workers' issues in, 686–687
    informal, 682–683
    necessary elements of care and, 677–678
    resources for, 678–681
    stresses in, 683–684
    support for, 687–689
Case management, in HIV infection, 679–680
CD4 lymphocytes. See *T lymphocytes, CD4*.
Ceftriaxone, in gonorrhea, 181
Centering, in therapeutic touch, 780
Cephalosporins, in pelvic inflammatory disease, 186
Cerebral insufficiency, herbal medicines in, 894
Cervical cancer, in adolescent girls, 57
  prevention of, 21–22
Cervical intraepithelial neoplasia, in HIV infection, 567, 620–621
Cervical mucus, examination of, in infertility, 201
Cervix, anatomy of, 251–254, 288
  biopsy of, colposcopic, instruments for, 246–249
    technique for, 259–260
  colposcopic examination of. See *Colposcopy*.
  dysplasia of, loop excision of. See *Electrosurgical loop excision, of cervix*.
  incompetence of, ultrasonography in, 423–424
  stenosis of, endometrial biopsy in, 322–323
Cesarean section, HIV transmission and, 630
Chancre, in syphilis, 190
Chaste-tree berry, in hyperprolactinemia, 893
Chemical dependency. See *Drug abuse*.
Chest pain, exercise testing in. See *Exercise testing*.
Chinese medicine, in HIV infection, 556, 912–913
Chlamydial infections, in women, 179–180
Cholesterol, cardiovascular disease and, in women, 3–6
  high levels of, herbal medicines in, 892
  screening for, in adolescent girls, 56
Chorionic villus sampling, 141–142

Chromosomal abnormalities, prenatal diagnosis of, 141–142
Cigarette smoking. See *Smoking*.
Ciprofloxacin, in gonorrhea, 181
in *Mycobacterium avium* complex infection, in HIV infection, 571
Clamp, for vasectomy, 436–437, 442–443
Clarithromycin, in *Mycobacterium avium* complex infection, 565, 571
Clear Heat herbal mixture, in HIV infection, 913
Clindamycin, in bacterial vaginosis, 189
in pelvic inflammatory disease, 186
in *Pneumocystis carinii* pneumonia, in HIV infection, 570
in toxoplasmosis, in HIV infection, 582
Clofazamine, in *Mycobacterium avium* complex infection, in HIV infection, 571
Clomiphene, in ovulation induction, 202
Clonidine, in drug withdrawal, 673
Clotrimazole, in candidiasis, in HIV infection, 569
Cocaine abuse, HIV infection in, 671
in adolescent girls, 60
in women, 119
Codes, for procedures. See specific procedures.
Cognitive behavior therapy, for panic disorder, 105–106
Cognitive/motor complex, HIV-1-associated, 576–578
Cold therapy. See *Cryotherapy*.
Colds, folk medicine in, 732–733
Colon, anatomy of, 347–348
biopsy of, sigmoidoscopic, 351
endoscopy of. See *Flexible sigmoidoscopy*.
Colorectal cancer, screening for, flexible sigmoidoscopy in, 342–343
Colposcopy, **241–267**
anatomic considerations in, 251–254
biopsy during, 259–260
chemical agents for, 250–251
codes for, 266
complications of, 262–263
contraindications to, 243
documentation of, 264–265
equipment for, 244–245
examination table for, 245
examinations associated with, 260–261
follow-up in, 263–264
in electrosurgical loop excision, 285
indications for, 242–243
informed consent for, 266
instruments for, 245–249
knowledge about, 234–235
objectives of, 242
outcomes of, 263
pathologic findings in, 261–262
patient education on, 264
patient preparation for, 243–244
purpose of, 242
technique for, 254–259
Coltsfoot, adverse effects of, 899
Comfrey, adverse effects of, 899
Communication, doctor-patient, on alternative medicine, **699–714**
Competence, in office procedures, **231–240**
definition of, 232–233
information sources for, 236
knowledge components of, 233–236
learning skills in, 231–232
maintaining, 240
proficiency measurement in, 237–239
quality assurance in, 239–240
training methods for, 236
Complementary and alternative medicine. See *Alternative medicine*.
Complementary remedies, in homeopathy, 859
Conception, assisted technology for, 203
counseling before, 129–132, 149
prevention of. See *Contraception*.
problems with. See *Infertility*.
Condom use, in HIV infection prevention, 471–472
Confidentiality, adolescent girls and, 53
in HIV testing, 483–484
Conization, loop excision in, versus cold-conization, 282–284
Consciousness, in anthroposophic view, 874
Contraception, **123–133**. See also *Oral contraceptives*.
in adolescent girls, 59
in HIV infection, 623
male. See *Vasectomy*.
morbidity and mortality from, 125–127
oral, endometrial cancer risk and, 305
satisfaction with, 123–125
sexually transmitted diseases and, 128
side effects of, 128–129
Coronary artery disease, exercise testing in. See *Exercise testing*.
in women. See *Cardiovascular disease, in women*.
Cosmopolitan medicine, versus folk medicine, 731
Cost offsets, mind-body therapies and, 956–959
Cough, chronic, nasopharyngoscopy in, 361
Counseling, on alternative medicine, 707–708
on HIV infection, 678–679
before and after testing, 483–484
for family stress, 688
preconception, 129–132
on breast-feeding, 149
Cranberry juice, in urinary tract infection prevention, 896

Cranial techniques, in myofascial release, 771
Crohn's disease, sigmoidoscopic appearance of, 352–353
Cross hands technique, in myofascial release, 768–769
Cryotherapy, for skin lesions, **269–280**
anatomic considerations in, 273–274
codes for, 279
complications of, 276–277
contraindications to, 272
documentation of, 278–279
equipment for, 272–273
follow-up of, 277–278
indications for, 270–272
informed consent for, 278
objectives of, 269–270
outcomes of, 277
pathologic findings in, 276
patient education on, 278
patient preparation for, 272
purpose of, 269
technique for, 274–276
Cryptococcosis, in HIV infection, neurologic complications in, 583–584
testing for, 510
Culture, folk medicine and, 724–726
Curcumin, in HIV infection, 914
Curettage, endocervical, in colposcopy, 247, 249, 258–259
Curettes, for endometrial biopsy, 310–311, 316–321
Cyriax manipulation, for back pain, 751
Cysts, breast, 154–155
Nabothian, 253–254
Cytomegalovirus infections, in HIV infection, 567, 571–572
neurologic complications in, 585–586
retinitis in, 603
Cytosine arabinoside, in JC virus infection, in HIV infection, 585

Danazol, in menorrhagia, 172
Dapsone, in *Pneumocystis carinii* pneumonia, 563, 570
in toxoplasmosis prophylaxis, 566
ddC (zalcitabine), in HIV infection, 537–538
in pediatric patients, 650–652
ddI (didanosine), in HIV infection, 535–537
Death and dying, in HIV infection, 614
Decision tree, for folk medicine, 724
Decongestants, for nasopharyngoscopy, 363
Dehydroepiandrosterone, in menopause, in fuzzy thinking, 937
in libido loss, 935–936
Dementia, herbal medicines in, 894
in HIV infection, 576–578
prophylaxis for, 568
Demyelinating disorders, in HIV infection, 584–585
Demyelinating polyneuropathy, inflammatory, in HIV infection, 580
Depression, herbal medicines in, 893
in adolescent girls, 62–63
in women, **83–101**
diagnosis of, 86–87
epidemiology of, 83–84
etiology of, 84
gender differences in, 84
in menopause, alternative medicine in, 936
in perinatal loss, 96–97
in pregnancy, 91
in premenstrual syndrome, 93–95
in seasonal affective disorder, 95
postpartum, 93
risk factors for, 85–86
treatment of, 87–90
mind-body therapy for, 791, 799–800
Dermal abnormalities, cryotherapy for. See *Cryotherapy, for skin lesions.*
Dermatitis, in HIV infection, 604–605
Dermatologic conditions, herbal medicines in, 896–897
Diabetes mellitus, cardiovascular disease and, 9
cryotherapy in, 272
endometrial cancer risk in, 304
herbal medicines in, 893
neuropathy in, herbal medicines in, 891
Diamond classification, of coronary artery disease likelihood, 381–382
Diaphragm, contraceptive, satisfaction with, 129
Diarrhea, in HIV infection, 600–601
from didanosine, 536
from nelfinavir, 546
Didanosine, in HIV infection, 535–537
Diet. See *Nutrition.*
Digestion, in anthroposophic view of, 874–880
Dilation and curettage, versus endometrial biopsy, 319, 321
Dioscorea creams, in hormone replacement therapy, 928
Dipstick technique, for cryotherapy, 274
Disinfection, of sigmoidoscope, 352
Distal symmetric polyneuropathy, in HIV infection, 579–580
Diverticula, sigmoidoscopic appearance of, 353
DNA analysis, in HIV measurement, 549–550
Documentation, of procedures. See specific procedures.
Domestic violence. See *Violence, against women.*
Down syndrome, prenatal diagnosis of, 141–142
Doxycycline, in chlamydial infections, 180
in pelvic inflammatory disease, 186

Drinking alcohol, in adolescent girls, 59–60
in women, 113–118
Dronabinol, in appetite stimulation, in HIV infection, 599
Drug abuse, HIV infection in, **667–676**
approach in, 668–670
epidemiology of, 668
family caregivers and, 685
medical complications of, 670–671
pain management in, 612
prevention of, 472–473
psychiatric issues in, 671
treatment of, 672–675
in adolescent girls, 59–61
in women, **113–122**
in pregnancy, 136
Duodenitis, endoscopy in, 337
Duodenum, endoscopy of. See *Esophagogastroduodenoscopy.*
Dying and death, in HIV infection, 614
Dysfunctional uterine bleeding, **161–178**
differential diagnosis of, 163–164
dysmenorrhea, 59, 174–175
endometrial causes of, 164–169
testing in, 166–168
treatment of, 168–174
types of, 162–163
versus normal menstrual cycle, 161–162
Dysmenorrhea, 174–175
in adolescent girls, 59
Dyspareunia, in menopause, 207
Dysrhythmias, in exercise testing, as complications, 399
revelation of, 397–399
Dysthymic disorder, in women, 91–92

Eating disorders, in adolescent girls, 61–62
Echinacea, immune effects of, 895
Ectopic pregnancy, ultrasonography in, 423
Eczema, herbal medicines in, 896–897
Edema, mucosal, of colon, 352
Education, for office procedure performance. See *Competence, in office procedures.*
patient, in HIV infection, 481–482, 523–525
Electrocardiography, in cardiovascular disease screening, in women, 9–10
in exercise testing, equipment for, 390
normal results in, 393
pathologic results in, 396–399
procedure for, 384–385, 394–396
Electrosurgical loop excision, of cervix, **281–302**
anatomic considerations in, 288
codes for, 297–298
complications of, 295–297
contraindications to, 284
documentation of, 292, 297
equipment for, 285–288
indications for, 283–284
objectives of, 282
patient preparation for, 284–285
postoperative instructions for, 293–294
principles of, 288–290
procedural pearls for, 294–295
purposes of, 281–282
technique for, 291, 293
Ellestrad protocol, for exercise testing, 388
Emotional support, in HIV infection, 503–504
Empowerment, in alternative therapy for HIV infection, 907
Encephalitis, cytomegalovirus, in HIV infection, 585–586
Encephalopathy, in HIV infection, 576–578
Endocervical curettage, in colposcopy, 247, 249, 258–259
Endocervical specula, for colposcopy, 246
Endocrine disorders, herbal medicines in, 893
Endometrial biopsy, 167, **303–326**
cancer risk and, 303–306
codes for, 322
complications of, 316–317
contraindications to, 309
documentation of, 322
equipment for, 310–312
follow-up on, 321
in cervical stenosis, 322–323
in infertility, 202
indications for, 306–308
informed consent for, 322
outcomes of, 317–321
patient education for, 322
patient preparation for, 309–310
purpose of, 306
technique for, 312–316
Endometrial intraepithelial neoplasia, 314–315
Endometriosis, surgery for, therapeutic touch in, 781
Endometrium, ablation of, in menorrhagia, 173–174
cancer of, dysfunctional uterine bleeding in, 165–166
prevention of, 20–21
risk factors for, 166
tests for, 166–168
hyperplasia of, biopsy in, 314–315
dysfunctional uterine bleeding in, 164–165
Endoscopy, genital tract. See *Colposcopy.*
lower gastrointestinal tract. See *Flexible sigmoidoscopy.*
upper gastrointestinal. See *Esophagogastroduodenoscopy.*
Enema, before flexible sigmoidoscopy, 344

Energy, in anthroposophically extended medicine, 881–882
in folk medicine, 727–729
in therapeutic touch, 780–781
spiritual, 966–967
Enhance herbal mixture, in HIV infection, 913
Enteral supplements, in HIV infection, 599
Enzyme-linked immunosorbent assay, for HIV infection, 485–486
Ephedra, adverse effects of, 900
Epididymitis, in vasectomy, 446–447
Epithelium, cervical, 252–254
Equipment, for office procedure, knowledge of, 235
Ergometer, for exercise testing, 389–390
Erythromycin, in chlamydial infections, 180
Esophagitis, endoscopy in, 336
in HIV infection, 602
candidal, 568–569
Esophagogastroduodenoscopy, **327–340**
anatomic considerations in, 332–333
codes for, 339
complications of, 337–338
contraindications to, 329
documentation of, 339
equipment for, 332
follow-up in, 338
indications for, 328–329
informed consent for, 330
outcomes of, 338
pathologic findings in, 336–337
patient education on, 338
patient preparation for, 329–332
purpose of, 327–328
technique for, 333–336
Espiritismo, 738
Estradiol, measurement of, in hormone replacement therapy, 213
Estriol, in hormone replacement therapy, 928–929
in vaginal dryness, in menopause, 933
Estrogens, cardiovascular disease and, 3–5
endometrial cancer risk and, 166, 304–305
in dysfunctional uterine bleeding, 169–171
in hormone replacement therapy, 926–927. See also *Menopause, hormone replacement in.*
in osteoporosis prevention and treatment, 32, 41–42
Ethambutol, in *Mycobacterium avium* complex infection, in HIV infection, 571
Ethnicity, folk medicine and, 734
Etidronate, in osteoporosis prevention and treatment, 32
Euthanasia, in HIV infection, 613
Evening primrose oil, in eczema, 897
in hot flashes, 898
in mastalgia, 890
in rheumatoid arthritis, 891
Exercise, in cardiovascular disease risk reduction, 7–8
in osteoporosis prevention and treatment, 31–32, 934
in weight reduction, 47
prescription for. See *Exercise testing.*
Exercise capacity, 396–397
Exercise testing, **375–406**
anatomic considerations in, 391–393
codes for, 403
complications of, 399–400
contraindications to, 382–383
documentation of, 402–403
equipment for, 389–391
follow-up in, 401–402
in cardiovascular disease screening, in women, 9–10
indications for, 376–382
informed consent for, 403–406
maximal, 395–396
objectives of, 376–377
outcomes of, 400–401
pathologic findings in, 396–399
patient education in, 402
patient preparation for, 383–385
physiology of, 391–393
positive result definition in, 398
protocol selection for, 385–389
purpose of, 376
technique for, 393–396
termination of, 395–396
Eye disorders, in HIV infection, 603

Faith healing, 971
Famciclovir, in varicella zoster virus infections, in HIV infection, 569–570
Families, as caregivers, of HIV-infected persons, 684–686, 688
Fascial release. See *Myofascial release.*
Fasciitis, plantar, Trager psychophysical integration in, 776–777
Fat, dietary, guidelines for, 38
health significance of, 826–827
Fertility, ending of, vasectomy in. See *Vasectomy.*
problems with. See *Infertility.*
Fertilization. See *Conception.*
Fetal alcohol syndrome, 116
Fetus, ultrasonography of. See *Obstetric ultrasonography.*
Fever, anthroposophic view of, 870–871
Feverfew, in migraine prevention, 890
Fiber, dietary, health significance of, 827–828
Fiberoptic sigmoidoscopy. See *Flexible sigmoidoscopy.*
Fibrocystic breast disease, 154

Fibromyalgia, alternative medicine in, 745
acupuncture, 748
herbal medicines, 891
homeopathy, 750
Financial support, in HIV infection, 679
Fixation clamp, for vasectomy, 436–437, 442–443
Flexible sigmoidoscopy, **341–357**
anatomic considerations in, 347–348
codes for, 356
complications of, 354–355
contraindications to, 343–344
documentation of, 355–356
equipment for, 345–347
follow-up in, 355
in colorectal cancer screening, 342–343
indications for, 342
informed consent for, 345
objectives of, 342
outcomes of, 355
pathologic findings in, 353–354
patient education on, 355
patient preparation for, 344–345
technique for, 348–353
Fluconazole, in candidiasis, in HIV infection, 569, 619–620
in cryptococcosis, in HIV infection, 583–584
prophylactic, in HIV infection, 567
Flucytosine, in cryptococcosis, in HIV infection, 583
Fluorides, in osteoporosis prevention and treatment, 33
Flushing, in menopause, 207–208, 218–219, 898, 931–932
Folic acid, dietary requirements of, 42–43
Folk medicine, **723–741**
as health system, 736–739
balance concept in, 726
benefits of, 724
clinical decision tree on, 724
complexity of, 736–737
consensual view of, 737–738
culture and, 724–726
definition of, 730
efficacy of, 724
energy concept in, 727–729
ethnicity and, 734
ginger in, 733
goals of, 729–730
harmony concept in, 726
holism in, 727
in colds, 732–733
in hypertension, 734
in women's health, 735
individual view of, 737–738
integration in, 736–737
moral tone of, 726–727
"New Age" thought and, 734–735
oral tradition and, 731–732
persistence of, 732–736
prevalence of, 732–736
risks of, 724
self-care in, 738–739
specialization in, 738–739
supernatural influence in, 737
theodicy and, 729
versus alternative medicine, 730–732
versus cosmopolitan medicine, 731
Folliculitis, in HIV infection, 604–605
Food. See also *Nutrition*.
sensitivity to, 828–829, 878
supplementation with, in HIV infection, 599
Forceps, biopsy, for colposcopy, 246–247
for vasectomy, 436–437, 442–443
Forces, in folk medicine, 727–729
Foreign body, upper airway, nasopharyngoscopy in, 362
Forensic examination, in sexual assault, 76–78
Foscarnet, in cytomegalovirus infections, in HIV infection, 571–572, 586
Fourfold human being concept, in anthroposophically extended medicine, 873–874, 887
Fraud, in alternative medicine, 710
Free radicals, antioxidants for, 39
Freeze Frame technique, in libido loss, 935–936
Freezing. See *Cryotherapy*.
Frontal compression and decompression, in myofascial release, 771
Fungal infections, in HIV infection, 566–569
Fuzzy thinking, in menopause, 936–937

Gagging, in nasopharyngoscopy, 371
Galactorrhea, 155–156
Gamete intrafallopian transfer, 203
Ganciclovir, in cytomegalovirus infections, in HIV infection, 567, 571–572, 586
Garlic, in cardiovascular disease, 892
Gas analysis, in exercise testing, 390–391
Gastritis, endoscopy in, 337
Gastrointestinal system, upper, endoscopy of. See *Esophagogastroduodenoscopy*.
Genetic screening, for cancer mutations, breast, 18–19
Genital tract, colposcopy of. See *Colposcopy*.
herpes simplex virus infections of, in women, 182–183
ulcer disease of, in HIV infection, in women, 621
Gestational age, estimation of. See *Obstetric ultrasonography*.
Ginger, in folk medicine, 733
in nausea, 897–898
Ginkgo, in dementia, 894
in sexual dysfunction, 894

Ginseng, adverse effects of, 899–900
in diabetes mellitus, 893
in respiratory disease, 897
Girls, adolescent. See *Adolescent girls.*
Globus hystericus, nasopharyngoscopy in, 362
Glucose-6-phosphate dehydrogenase, testing for, in HIV infection, 509–510
Glutamine supplementation, in HIV infection, 911
Gonadotropins, in ovulation induction, 202
Gonorrhea, in women, 180–181
contraception and, 128
Grief, in HIV infection, 614
in perinatal loss, 96–97
Growth failure, in HIV infection, in pediatric patients, 652, 654
Growth hormone, in wasting syndrome, in HIV infection, 523, 599
Guided imagery, 794–796, 807
Gynecologic disorders, in HIV infection, 619–623
Gynecologic history, in adolescent girls, 58–59

Hair, menopause effects on, 206
Hallucinogen use, in adolescent girls, 60–61
in women, 119
Harmony concept, in folk medicine, 726
Headache, in HIV infection, 602–603
migraine, herbal medicines in, 890
mind-body therapy for, 792
therapeutic touch in, 781–782
Healing, anthroposophic view of, 872–873
homeopathic view of, 849–850
spiritual, 969–972
Health care workers, caregiving role of, 686–687
attitudes of, 686
elements of, 677
stresses of, 686–687
HIV exposure of, management of, 513–514
prevention of, 473–474
Health systems, folk medicine as, 736–739
Healthy body weight, in women, 46–47
Heart disease. See *Cardiovascular disease.*
Heart rate, in exercise testing, 398
Hematoma, in vasectomy, 446
Hemoclip, for vasectomy, 443
Hepatitis B, in HIV infection, 670
Hepatitis C, in HIV infection, 670
Herbal medicines, **889–903**
adverse effects of, 899–900
in cardiovascular disease, 892–893
in dermatologic conditions, 896–897
in endocrine disorders, 893
in hepatic disease, 896
in hot flashes, 898, 931–932
in human immunodeficiency virus infection, 556, 898, 912–914
in infections, 895–896
in insomnia, 898–899
in nausea, 897–898
in pain, 890–891
in psychiatric disorders, 893–894
in respiratory disease, 897
in urologic conditions, 894–895
in vaginal dryness, 933
Hering's law, in homeopathy, 859–860
Heroin use, HIV infection in, 671
in women, 119
Herpes simplex virus infections, genital, in women, 182–183, 621
in HIV infection, 567
Hiatal hernia, endoscopy in, 336
HIV infection. See *Human immunodeficiency virus infection.*
Hoarseness, nasopharyngoscopy in, 361–362
Holism. See also *Anthroposophically extended medicine; Manual therapy.*
in folk medicine, 727
Home care programs, in HIV infection, 680–681
Homeless population, adolescent girls in, 63
Homeopathy, **845–865**
combination remedies in, 860–861
history of, 846–849
in chronic pain, 748–750
indications for, 860
licensure for, 862
potentization in, 852–853
practice of, 856–862
regulations on, 861
remedy administration in, 858–859
remedy selection in, 856–858
research on, 853–856
results of, 859–860
similars in, 850–851
theory of, 849–853
totality of symptoms in, 851–852
training for, 845, 862–863
Homosexuality, in adolescent girls, 63–64
Hooks, skin, in colposcopy, 247
Hook-up, in Trager psychophysical integration, 776
Hormonal abnormalities, in HIV infection, in women, 622
Hormone replacement therapy, in menopause. See *Menopause, hormone replacement in.*
Hospice care, in HIV infection, 609, 681
Hostility, illness and, 790
Hot flashes, evening primrose oil in, 898
in menopause, 207–208, 218–219
alternative medicine in, 931–932
Hot-cold theory of disease, 732–733

Human immunodeficiency virus, measurement of, 549–550
molecular biology of, 532–533, 548
Human immunodeficiency virus infection, assessment of, **497–515**
emotional state and, 498
goals of, 499
guidelines for, 498–499
history in, 499–504
laboratory evaluation in, 508–511
physical examination in, 504–508
asymptomatic stage of, 489–490
CD4 lymphocyte monitoring in, 548–549
management during, 512
caregivers in, 614–615, **677–690**
case management in, 679–680
CD4 lymphocyte status in. See under *T lymphocytes, CD4.*
cervical intraepithelial neoplasia in, 567, 620–621
counseling in, 678–679
for family stress, 688
on testing, 483–484
cryptococcosis in, neurologic complications in, 583–584
testing for, 510
cytomegalovirus infections in, 567, 571–572
neurologic complications in, 585–586
retinitis, 603
death in, 614
diagnosis of. See *Human immunodeficiency virus infection, assessment of.*
diarrhea in, 600–601
from drug therapy, 536, 546
differential diagnosis of, 487
encephalopathy in, 576–578
epidemiology of, in chemical dependency, 668
in pediatric patients, 643–644
in women, 617–619
esophagitis in, 602
family issues in, 684–686, 688
fever in, 604
gynecologic disorders in, 619–623
headache in, 602–603
health care worker issues in, 686–689
health maintenance in, 517
hepatitis in, 670
herpes simplex virus infections in, 567
in women, 621
housing concerns in, 680
human papillomavirus infection in, 620–621
immunization in, in pediatric patients, 657
routine, 519, 567–568
immunologic parameters in, chronic, 489–490
primary, 488–489
in adolescent girls, screening for, 56–57
in chemical dependency. See *Drug abuse, HIV infection in.*
in pediatric patients, **643–666**. See also *Human immunodeficiency virus infection, perinatal transmission of.*
in pregnancy, 624–631
in women. See under *Women's health issues.*
information resources for, 475–476, 512–513
legal issues in, 503, 527–528, 680
lymphadenopathy in, 602
lymphoma in, central nervous system, 586–587
meningitis in, 576
cryptococcal, 583–584
syphilitic, 587–588
myelopathy in, 578–579
myopathies in, 580–581
natural history of, 486
in pediatric patients, 648–649
nausea and vomiting in, 535, 601–602
neurologic complications of, **575–595**
in pediatric patients, 652, 654–655
neuropathies in, 579–580
nutrition in, 520–523
occupational exposure to, management of, 513–514
prevention of, 473–475
office visit protocol for, 518–520
opportunistic infections in. See under *Opportunistic infections.*
pain management in, 609–612
palliative treatment of, **607–615**
pathogenesis of, 486, 490–491
patient education on, 481–482, 523–525
perinatal transmission of, 624–631, 644–648
antiretroviral agents effects on, 624–629
clinical study of, 624–625
factors affecting, 629–630
prenatal testing and, 630–631
prevention of, 473
prophylaxis for, 647–648
risk factors for, 644–646
timing of, 646–647
physician-assisted suicide requests in, 612–614
Pneumocystis carinii infections in, 563–565, 570, 603–604
prophylaxis for, 655–657
prevention of, **469–477**
in pediatric patients, 647–648
primary, immunologic parameters in, 488–489
symptoms of, 487–488
treatment of, 490–491
prognostication in, 609

Human immunodeficiency virus infection (*Continued*)
progressive multifocal leukoencephalopathy in, 584–585
psychiatric disorders in, in chemical dependency, 671
psychological issues in, 504, 678
pulmonary symptoms in, 563–564, 570, 603–604
risk factors for, 470
assessment of, 479–482
in pediatric patients, 644–646
seroconversion in, 487
meningitis in, 576
viral load after, 488–489
seroreversion in, in pediatric patients, 649
skin disorders in, 604–605
social issues in, 502–504, 678
support services for, 501, 678–679
emotional, 503–504
financial, 679
for caregivers, 687–689
social, 528
symptoms of, management of, **597–606**
primary, 487–488
syphilis in, in women, 621–622
neurologic complications in, 587–588
testing for, 509
testing for, 483–486
counseling about, 483–484
home methods for, 486
in pediatric patients, 649
indications for, 481–482
informed consent for, 483–484
methods for, 485–486
negative results in, 484
positive results in, 484–485
prenatal, 630–631
reluctance to, 482
viral antigen detection in, 488–489
toxoplasmosis in, 581–583
testing for, 510
transmission of, in drug injection, 674
perinatal. See *Human immunodeficiency virus infection, perinatal transmission of.*
prevention of, **469–477**
sexual, 471–472, 623
treatment of, 490–491, **517–529**
alternative medicine in, 553–556, **905–919**
Chinese, 912–913
definition of, 906–907
herbal medicines in, 556, 898
history of, 905–906
massage in, 915
mind-body therapy, 792
nutrition in, 908–912
practical aspects of, 915–917
principles of, 907–908
psychologic factors in, 915
Western herbal therapy in, 913–914
antiretroviral therapy in. See *Antiretroviral agents;* specific drugs.
drug resistance in, 491, 546–547, 552–553, 627
elements of, 677–678
health maintenance in, 517
home, 680–681
hospice, 681
immunomodulatory, 555–556
in chemical dependency, **667–676**
in pediatric patients, 649–652
in pregnancy, 624–631
in primary stage, 490–491
legal issues in, 503, 527–528, 680
monitoring of, 525–527
nutrition in, 520–523
office visit protocol for, 518–520
palliative, **607–615**
patient's contribution to, 497–498
resources for, 678–681
symptom management in, **597–606**
types of, 522–523
vitamins in, 556
weight maintenance in, 521–522
tuberculosis in, 670–671
testing for, 510
vaccines for, 470–471
value system and, 502
viral load in, in perinatal transmission, 629, 645
in primary infection, 488–489
measurement of, 511, 549–550
monitoring of, 526–527
viral variants in, 491
visual symptoms in, 603
weight loss in, 521–522, 598–599
in women, 622
with type 2 virus, 485
Human papillomavirus infections, in HIV infection, 620–621
in women, noncervical, 186–188
Hypercholesterolemia, herbal medicines in, 892
Hyperprolactinemia, herbal medicines in, 893
Hypertension, endometrial cancer risk in, 304
folk medicine in, 734
herbal medicines in, 892–893
in adolescent girls, 56
in women, 6–7
mind-body therapy for, 792
Hypnosis, **809–823**
applications of, 815–819
contraindications for, 813–814
definition of, 812–813
history of, 809–812
in anxiety, 816–817

in pain, 817–819
myths about, 812
persons performing, 820
process of, 813–815
research on, 819–820
training for, 820
Hysterectomy, artificial menopause in, 930
Hysterosalpingography, in infertility, 201–202
Hysteroscopy, endometrial biopsy with, 308
in dysfunctional uterine bleeding, 167–168

Ice massage, for back pain, 751
Immune system, herbal medicine effects on, 895–896
Immunization, in adolescent girls, 57
in HIV infection, 519, 567–568
in pediatric patients, 657
Immunomodulatory therapy, for HIV infection, 555–556
In vitro fertilization, 203
Incontinence, urinary, in menopause, 206–207
Indian gooseberry, in hypercholesterolemia, 892
Indinavir, in HIV infection, 544–545
Infections, homeopathic treatment of, 857–858
in electrosurgical loop excision, 296
in endometrial biopsy, 317
soft-tissue, in HIV infection, 670
Infectious mononucleosis, in adolescent girls, 58
Infertility, in men, 198
in women, **195–204**
algorithm for, 197
assessment of, 198–202
causes of, 196–198
definition of, 195
endometrial biopsy in, 307
primary care provider role in, 196
psychologic issues in, 203–204
treatment of, 202–203
Inflammation, anthroposophically extended medicine for, 869–873
Inflammatory bowel disease, sigmoidoscopic appearance of, 352–353
Inflammatory demyelinating polyneuropathy, in HIV infection, 580
Information sources, for procedure skill acquisition, 236
Informed consent, adolescent girls and, 53
for HIV testing, 483–484
for procedures. See specific procedures.
Insomnia, herbal medicines in, 898–899
Insufflation, in sigmoidoscopy, 349, 351
Insulin resistance, dietary control of, 828
Interferon(s), in HIV infection, 916
Interleukin-2, in HIV infection, 555
Intermittent claudication, herbal medicines in, 893
Intrauterine devices, levonorgestrel-releasing, in menorrhagia, 173
pelvic inflammatory disease from, 127
Iron, dietary requirements of, in women, 42
Irritable bowel syndrome, anthroposophically extended medicine application to, 874–880
Ischemia, myocardial, exercise testing in. See *Exercise testing.*
Ischemic heart disease, in women. See *Cardiovascular disease, in women.*
Isoniazid, in tuberculosis prophylaxis, 566
Itching, in HIV infection, 605

J stroke, in soft tissue mobilization, 765
JC virus infection, progressive multifocal leukoencephalopathy in, in HIV infection, 584–585

Kampo herbal mixture, in HIV infection, 913
Kaposi's sarcoma, in HIV infection, 605
Ketoconazole, in candidiasis, in HIV infection, 569
Keynotes, in homeopathy, 851
Knowledge components, of office procedures, 233–236
Krieger-Kuntz therapeutic touch technique, 777–781

Labor and delivery, HIV transmission during, 629–630, 646–647
ultrasonography in. See *Obstetric ultrasonography.*
Lactation. See *Breast-feeding.*
Lamivudine, in HIV infection, 539–540
Larynx, endoscopy of. See *Nasopharyngoscopy.*
Law of Contraries, in homeopathy, 849–850
Learning, of office procedure skills. See *Competence, in office procedures.*
LEEP. See *Electrosurgical loop excision.*
Legal issues, adolescent girls and, 53
in HIV infection, 503, 527–528, 680
in treatment, 527–528
Leptomeningeal lymphoma, in HIV infection, 587
Leukoencephalopathy, progressive multifocal, in HIV infection, 584–585
Leukoplakia, cervical, 255, 261
Levonorgestrel, in intrauterine devices, in menorrhagia, 173
Libido, in menopause, 207, 935–936
Licorice, adverse effects of, 899

Lidocaine, in vasectomy, 436, 440–442
Lipoproteins, cardiovascular disease and, in women, 3–6
Liquid nitrogen, in cryotherapy, 270, 272–273
Liver, disease of, herbal medicines in, 896
in digestion, anthroposophic view of, 876–879, 881
LLETZ. See *Electrosurgical loop excision.*
Loop excision, of cervix. See *Electrosurgical loop excision, of cervix.*
Lubricants, vaginal, in menopause, 933
Lugol's solution, in colposcopy, 250, 255–256
Lumbar decompression, in myofascial release, 769–770
Lumps, breast, 154–155
Lymphadenopathy, in HIV infection, 602
Lymphoma, central nervous system, in HIV infection, 586–587

Ma huang, adverse effects of, 900
McHenry protocol, for exercise testing, 387
Magic, in folk medicine, 727–729
Magnesium supplementation, 835–836
in osteoporosis prevention, 935
Malaria, herbal medicines in, 895
Malnutrition, in HIV infection, 521–523, 598–599
Mammography, screening, 17–18
Manual therapy, **759–786**
for chronic pain, 750–751
myofascial release, 761–773
therapeutic touch, 777–782
Trager psychophysical integration, 773–777
types of, 760–761
Marijuana use, in adolescent girls, 60
in women, 119
Massage, in HIV infection, 915
Mastalgia, herbal medicines in, 890
Mastitis, in breast-feeding, 153
nonlactational, 156–157
Maxillary sinusitis, nasopharyngoscopy in, 361
Meditation, in chronic pain, 752
in healing, 970
mindfulness, 798–799
Tibetan, 798
transcendental, 797–798
walking, 799
Medroxyprogesterone acetate, morbidity and mortality with, 126–127
satisfaction with, 125
side effects of, 128
Mefenamic acid, in menorrhagia, 172
Megestrol acetate, in appetite stimulation, in HIV infection, 599
Meningitis, in HIV infection, 576
cryptococcal, 583–584
syphilitic, 587–588
Menopause, **205–221, 921–948**
age of, 205
alternative medicine in, 939
evening primrose oil in, 898
in Alzheimer's disease, 936–937
in depression, 936
in fuzzy thinking, 936–937
in hot flashes, 931–932
in libido loss, 935–936
in mood swings, 936
in osteoporosis, 933–935
in vaginal dryness, 932–933
cardiovascular health and, 2–3
cultural aspects of, 931
endometrial biopsy after, 318–319
endometrial cancer after, 20–21
heart disease and, 937–939
hormone replacement in, 924–929, 940
algorithm for, 211
bleeding patterns in, 215–216
body mass index and, 210
breast cancer risk in, 937
breast effects of, 209–210
cardiovascular effects of, 210
dosage of, 213–215
endometrial cancer risk and, 304–305
estradiol measurement in, 213
in hot flashes, 932
oral estrogens in, 211–213
risk benefit analysis of, 217–218
hormone-producing body sites and, 923–924
information resources on, 941–943
management of, 216–217
nonhormonal, 218–219
osteoporosis after. See *Osteoporosis.*
physiologic changes in, 206–208
social context of, 921–922
symptoms of, 930–937
treatment decisions in, 940–941
types of, 929–930
Menorrhagia, 171–174
Menstrual abnormalities, in HIV infection, 622
Menstrual cycle, cessation of. See *Menopause.*
evaluation of, in infertility, 200
in hormone replacement, 214–216
irregularity of, in adolescent girls, 59
menorrhagia in, 171–174
normal, 161–162
premenstrual syndrome and, 93–95
Menstrual endometrium, versus pathologic conditions, 315–316
Mental health, religiousness and, 968–969
Mentastic movement, in Trager psychophysical integration, 776
Mesmerism. See *Hypnosis.*

Metabolic equivalents, in exercise testing, 386–387, 389
Metabolic system, in anthroposophically extended medicine, 880–881
Metaplasia, of cervical epithelium, 253–254, 261–262
Methadone, in chemical dependence, 673–674
Metronidazole, in bacterial vaginosis, 189
in pelvic inflammatory disease, 186
in trichomoniasis, 189
Miconazole, in candidiasis, in HIV infection, 569
β_2-Microglobulin, monitoring of, in HIV infection, 550
Migraine headaches, herbal medicines in, 890
Milk thistle, in liver disease, 896
Mind-body interaction, in anthroposophically extended medicine, 877–878
Mind-body therapies (behavioral medicine), **787–807**
alternative medicine with, 952–953
behavioral changes in, 953
biomedical model of illness limitations and, 788–789
biomedical treatments with, 953–956
case studies of, 799–800
cost offset effects of, 956–959
definition of, 788
for chronic pain, 751–753
for menopause, 932
guided imagery in, 794–796, 807
indications for, 790–793
meditation in, 752, 797–799
patient education in, 952
relaxation techniques in, 793–794, 805
stress management in, 953
stress-illness relationship and, 789–790
Mindfulness techniques, 798–799
in chronic pain, 752
Mineral supplementation, 834–837
in HIV infection, 912
Miscarriage, ultrasonography in, 423
Modalities, in homeopathy, 851
Models, three-dimensional, in procedural skill learning, 238
Monitoring, in esophagogastroduodenoscopy, 331–332
Monoamine oxidase inhibitors, in depression, 89
Mononeuropathy multiplex, in HIV infection, 580
Mononucleosis, in adolescent girls, 58
Monsel's solution, in colposcopy, 250–251
Mood disorders, in women, **83–101**
adjustment disorder with depressed mood, 92
dysthymic disorder, 91–92
major depression, 83–91
perinatal bereavement, 96–97
postpartum depression, 93
premenstrual syndrome, 93–95
seasonal affective disorder, 95
Mood swings, in menopause, alternative medicine in, 936
Moral tone, of folk medicine, 726–727
Mucus, cervical, examination of, in infertility, 201
Mycobacterium avium complex infections, in HIV infection, 564–565, 570–571
Myelitis and myelopathy, in HIV infection, 578–579
cytomegalovirus, 585–586
Myocardial infarction, contraceptive use and, 127
exercise testing and. See *Exercise testing.*
in women, 2
Myocardium, oxygen demand of, 391–392
Myofascial release, 761–773
case studies of, 772–773
components of, 764
contraindications to, 763–764
cranial techniques in, 771
indications for, 764
principles of, 761–763
release techniques in, 768–770
side effects of, 764
soft tissue mobilization in, 765–767
theory of, 761–763
touch analysis in, 765
visual standing analysis in, 764–765
Myopathies, in HIV infection, 580–581
from zidovudine, 534–535

Nabothian cyst, 253–254
Nandrolone, in appetite stimulation, in HIV infection, 599
Narcotics, in pain management, in HIV infection, 611–612
Nasopharyngoscopy, **359–374**
anatomic considerations in, 364
codes for, 372
complications of, 371
contraindications to, 362–363
documentation of, 372
equipment for, 363–364
follow-up in, 372
indications for, 359–362
informed consent for, 373
outcomes of, 371
pathologic findings in, 370–371
patient education for, 372
patient preparation for, 363
purpose of, 359
technique for, 364–370
Nausea and vomiting, ginger in, 733, 897–898
in HIV infection, 601–602
from zidovudine, 535

Needle technique, for cryotherapy, 275
Needlestick injury, HIV transmission in, prevention of, 473–474
Nefazodone, in depression, 89
Nelfinavir, in HIV infection, 545–546
Neoplasia, cervical, colposcopic examination of. See *Colposcopy*.
Neopterin, monitoring of, in HIV infection, 550
Nerve-sense process, in anthroposophically extended medicine, 880–882
Neuroendocrine changes, in menopause, 207–208
Neurologic complications, of HIV infection, **575–595**
  encephalopathy, 576–578
  in cryptococcosis, 583–584
  in cytomegalovirus infection, 585–586
  in HIV infection, 652, 654–655
  in opportunistic infections, 581–588
  in syphilis, 587–588
  in toxoplasmosis, 581–583
  inflammatory demyelinating polyneuropathies, 580
  lymphoma, 586–587
  meningitis, 576, 583–584, 587–588
  mononeuropathy multiplex, 580
  myelopathy, 578–579
  myopathies, 580–581
  neuropathies, 579–580
  progressive multifocal leukoencephalopathy, 584–585
Neuropathic pain, herbal medicines in, 891
Neuropathy, in HIV infection, 538–539, 579–580
  cytomegalovirus, 586
  from didanosine, 536
  from zalcitabine, 537–538
Neurosyphilis, in HIV infection, 587–588
Nevirapine, in HIV infection, 540–541
"New Age" thought, Folk medicine and, 734–735
New Borg Perceived Exertion Scale, 394–395
Newborns, breast masses in, 157
Nipple discharge, 155–156
Nitrogen, liquid, in cryotherapy, 270, 272–273
Nitrous oxide, in cryotherapy, 273, 275
Nonoxynol 9, in contraceptive devices, sexually transmitted diseases and, 128
Nonsteroidal anti-inflammatory drugs, in pain management, in HIV infection, 611–612
Norplant, recommendations for, 125
Nose bleeds, nasopharyngoscopy in, 361–362
Nucleic acid sequence-based amplification, in HIV measurement, 549–550
Nursing. See *Breast-feeding*.
Nutrition, in alternative medicine, **825–843**
  fat, 826–827
  in HIV infection, 908–912
  in hot flashes, 931
  individual prescription for, 828–829
  nutrient density, 827–828
  supplements in, 829–837
  in HIV infection, 520–523
  in women, **37–51**
    antioxidants, 39–41
    assessment of, 43–46
    calcium, 41–42
    cancer protective substances, 40–41
    cardiovascular disease and, 39–40
    folic acid, 42–43
    in hot flashes, 931
    in pregnancy, 136–137
    iron, 42
    osteoporosis and, 41–42
    substrates, 38–39
    vitamins, 40–43
    weight reduction and, 46–48
Nystatin, in candidiasis, in HIV infection, 569

Obesity, in adolescent girls, 61
  in women, cardiovascular disease and, 7–8
    weight reduction in, 46–48
Object focus, in meditation, 797
Obstetric ultrasonography, 144, **407–431**
  anatomic considerations in, 412
  codes for, 430
  complications of, 428
  documentation of, 423, 426–430
  equipment for, 411–412
  follow-up in, 428
  indications for, 408–409
  objectives of, 408
  outcome of, 428
  pathologic findings in, 423–425
  patient education for, 426–430
  patient preparation for, 410–411
  technique for, 412–423
  terminology of, 407–408, 416
  training for, 409–410
Occupational exposure, to HIV infection, management of, 513–514
  prevention of, 473–474
Office procedures, colposcopy, **241–267**
  cryotherapy, of dermal abnormalities, **269–280**
  electrosurgical loop excision of cervix, **281–302**
  endometrial biopsy, **303–326**
  esophagogastroduodenoscopy, **327–340**
  exercise testing, **375–406**
  flexible sigmoidoscopy, **341–357**
  knowledge of, 235–236
  nasopharyngoscopy, **359–374**

obstetric ultrasonography, **407–431**
skill acquisition for, **231–240**
vasectomy, **433–461**
Ofloxacin, in gonorrhea, 181
Opiates, in pain management, in HIV infection, 611–612
Opportunistic infections, in HIV infection, **561–574**, 581–588
cryptococcosis, 510, 583–584
cytomegalovirus, 567, 571–572, 585–586, 603
diarrhea in, 600–601
fungal, 566–569
in pediatric patients, 648–649
Mycobacterium avium complex, 564–565, 570–571
Pneumocystis carinii, 563–564, 570, 603–604, 655–657
prevention of, 561–568
progressive multifocal leukoencephalopathy in, 584–585
toxoplasmosis, 510, 564–566, 581–583
treatment of, 568–572
tuberculosis, 510, 566, 670–671
varicella zoster, 569–570
viral, 567–568
Oppositional disorder, in adolescent girls, 62
Oral contraceptives, endometrial cancer risk and, 305
in dysfunctional uterine bleeding, 169–170
morbidity and mortality with, 126–127
satisfaction with, 124–125
side effects of, 128–129
Oral tradition, in folk medicine, 731–732
Osteoarthritis, alternative medicine in, 744–745
acupuncture, 747–748
herbal medicines in, 890–891
Osteoporosis, **27–36**
epidemiology of, 27
identification of, 28
in menopause, 208–209
prevention of, 933–935
physiology of, 27–28
prevention of, 30–33
nutrition in, 41–42
risk factors for, 28–30
treatment of, 30–33
Ovarian cancer, prevention of, 19
Ovulation, evaluation of, in infertility, 200
induction of, in infertility, 202
Oxygen free radicals, antioxidants for, 39–41
Oxygenation, of muscles, exercise testing and, 391

p24 antigen, in HIV infection, testing for, 488, 550
Pain, chest, exercise testing in. See *Exercise testing*.
chronic, alternative medicine in, **743–758**
acupuncture, 746–748
attractions of, 745–746
diseases causing, 744–745
efficacy of, 746–754
epidemiology of, 744–745
homeopathy, 748–750
hypnosis, 817–819
manual therapies, 750–751
mind-body therapies, 751–754, 791–792
versus conventional medical therapy, 745–746
herbal medicines in, 890–891
in dysmenorrhea, 174–175
in endometrial biopsy, 316–317
management of, in HIV infection, 609–612
Palate, endoscopy of, 369
Palliative treatment, of HIV infection, **607–615**
death and, 614
description of, 607–609
hospice care in, 609
pain management in, 609–612
physician-assisted suicide requests and, 612–614
Pancreatitis, in HIV infection, from didanosine, 536–537
from lamivudine, 540
Panic attacks, in women, 104
Panic disorder, in women, 104–106
Papanicolaou test, abnormal results of, colposcopy in. See *Colposcopy*.
for cervical cancer, 21–22
for endometrial cancer, 166
Paraparesis, in HIV infection, 578–579
Parenteral nutrition, in HIV infection, 599
Partner violence. See *Violence, against women*.
Pastoral care, healing effects of, 970
Pectinate line, location of, in sigmoidoscopy, 347–348
Pediatric patients, family violence effects on, 72–73
HIV infection in, **643–666**
epidemiology of, 643–644
family of, 685
mortality rate in, 644
natural history of, 648–649
neurologic complications in, 652, 654–655
perinatal transmission of. See *Human immunodeficiency virus infection, perinatal transmission of*.
Pneumocystis carinii pneumonia prophylaxis in, 655–657
prophylaxis for, 647–648
research in, 657–659
risk factors for, 644–646

Pediatric patients (*Continued*)
routine immunizations for, 655–657
testing for, 649
treatment of, 649–652
sexual abuse of, 69
Pelvic examination, of adolescents, 55
Pelvic inflammatory disease, 185–186
from intrauterine devices, 127
in HIV infection, 183, 622
Pelvic relaxation, in menopause, 207
Penicillin, in syphilis, 191
in HIV infection, 588
Pentamidine, in *Pneumocystis carinii* pneumonia, 563, 570
Performance phobias, in women, 106–107
Performance-based tests, of procedural proficiency, 238–239
Perimenopause, 929–930
Perinatal bereavement, 96–97
Peripheral neuropathy, in HIV infection, 538–539
from didanosine, 536
from zalcitabine, 537–538
Peripheral vascular disease, cryotherapy in, 272
Pharynx, endoscopy of. See *Nasopharyngoscopy.*
Physician-assisted suicide, requests for, in HIV infection, 612–614
Phytoestrogens, in hot flashes, 931
Placenta previa, ultrasonography in, 423
Plantar fasciitis, Trager psychophysical integration in, 776–777
PMS (premenstrual syndrome), 93–95
Pneumocystis carinii pneumonia, in HIV infection, 563–564, 570, 603–604
in pediatric patients, 655–657
Pneumonia, *Pneumocystis carinii*, in HIV infection, 563–564, 570, 603–604
in pediatric patients, 655–657
Podophyllum, in human papillomavirus infections, 187
Polarity, in anthroposophically extended medicine, 880
Polyethylene glycol solution, in bowel preparation, 344
Polymerase chain reaction, reverse transcriptase, in HIV measurement, 549–550
Polyneuropathy, in HIV infection, 579–580
Polyps, colonic, sigmoidoscopic appearance of, 353
endometrial, 315, 321
gastric, endoscopy in, 337
Polyradiculomyelitis, in HIV infection, cytomegalovirus, 585–586
Postcoital test, in infertility, 201
Postpartum depression, 93
Posttraumatic stress disorder, in women, 107
Post-vasectomy semen specimen, 448
Potentization, in homeopathy, 852–853
Prayer, in healing, 969–972
Preconception counseling, 129–132
on breast-feeding, 149
Prednisone, in *Pneumocystis carinii* pneumonia, in HIV infection, 570
Pregnancy, alcohol use in, 116
behavioral counseling in, 136–137
care during, 135–146
congenital disorder diagnosis in, 141–142
date of confinement estimation in, 138
depression in, 91
diagnosis of, 138
drug abuse in, 136
failure to achieve. See *Infertility.*
HIV infection in, 183–184. See also *Human immunodeficiency virus infection, perinatal transmission of.*
treatment of, 624–631
laboratory testing in, 139–141, 143
loss of, bereavement in, 96–97
patient education in, 136–137
physical examination in, 139
postdate, 143
preconception counseling before, 129–132, 149
smoking in, 118
syphilis in, 190
testing for, in dysfunctional uterine bleeding, 164
ultrasonography in. See *Obstetric ultrasonography.*
Pregnenolone, in menopause, in fuzzy thinking, 937
Premature ventricular contractions, revelation of, in exercise testing, 397–398
Premenstrual syndrome, 93–95
Prenatal care, 135–146
behavioral counseling in, 136–137
"first do no harm" guidelines in, 136
first-trimester, 137–141
importance of, 135
patient education in, 136–137
preconception counseling and, 129–132, 149
second-trimester, 141–142
third-trimester, 142–143
ultrasound in, 144
visit frequency in, 137
Prenatal diagnosis, of congenital disorders, 141–142
Primaquine, in *Pneumocystis carinii* pneumonia, in HIV infection, 570
Procedures, office. See *Office procedures.*
Proficiency, in office procedures, measurement of, 237–239
Progesterone, deficiency of, in menopause, 206
in dysfunctional uterine bleeding, 169
in endometrial control, 163

in hormone replacement therapy, 927–928
in osteoporosis prevention, 934
Progestins, in dysfunctional uterine bleeding, 170
in menopause, 214–215
Progressive multifocal leukoencephalopathy, in HIV infection, 584–585
Prolactin, excess of, herbal medicines in, 893
Prostaglandin inhibitors, in dysmenorrhea, 174
in menorrhagia, 172–173
Prostate, benign hypertrophy of, herbal medicines in, 894–895
Protease inhibitors, in HIV infection, resistance to, 546–547
types of, 541–546
Protein, dietary guidelines for, 38
Psoriasis, herbal medicines in, 896
Psychiatric disorders, drug abuse in, HIV infection and, 671
herbal medicines in, 893–894
Psychologic aspects, of abortion, 96
of adolescent girls, 61–63
of HIV infection, 504, 915
of infertility, 203–204
of menopause, 208
of violence against women, 72
Psychophysical integration (Trager), 773–777
Psychotherapy, for anxiety disorders, 107–108
for depression, 87–88
healing effects of, 970
Puberty, stages of, in girls, 54
Pyrimethamine, in toxoplasmosis, in HIV infection, 566, 582

Quality assurance, in office procedures, 239–240
Quetelet's index, in nutritional assessment, 44–45
Quinghao, in malaria, 895

Radiculomyelitis, in HIV infection, cytomegalovirus, 585–586
Ramp protocol, for exercise testing, 386
Rape. See *Violence, against women.*
Rash, in syphilis, 190
Rate-pressure product, in exercise testing, 391
Rectum, endoscopy of. See *Flexible sigmoidoscopy.*
Reductionism, in anthroposophically extended medicine, 880
Relationships, spirituality and, 966
Relaxation techniques, 793–794, 805
in chronic pain, 753
Trager psychophysical integration, 773–777
Religiousness, spirituality and, 967–969
Remifemin (black cohosh), in hot flashes, 932
Repertoires, in homeopathy, 851
Research, on alternative medical interventions, for chronic pain, **743–758**
Resistance, to antiretroviral agents. See *Antiretroviral agents, resistance to;* specific drugs.
Respiratory disease, herbal medicines in, 897
Retinitis, cytomegalovirus, in HIV infection, 603
Retinol, in disease prevention, 831–832
in HIV infection, 911
Retrovir. See *Zidovudine.*
Reverse transcriptase, in HIV replication, 533
inhibitors of. See *Zidovudine* and other drugs.
Reverse transcriptase polymerase chain reaction, in HIV measurement, 549–550
Rh antigen, testing for, in prenatal care, 139–140
Rheumatoid arthritis, alternative medicine in, 744–745
herbal, 891
homeopathy, 749–750
mind-body therapies, 753
Rhinorrhea, chronic, nasopharyngoscopy in, 361
Rhus toxidendron, in chronic pain, 749–750, 854–855
Rhythm, in anthroposophically extended medicine, 880–882
Rifabutin, in *Mycobacterium avium* complex infection, 565, 571
Ring clamp, for vasectomy, 436–437, 442–443
Ritonavir, in HIV infection, 543–544
Rubella, immunity to, in pregnancy, 140
in adolescent girls, 58
Rubrics, in homeopathy, 851

St. John's Wort, in depression, 893, 936
Saline solution, in colposcopy, 250
Salutogenesis, spirituality and, 964–965
Saquinavir, in HIV infection, 542–543
Sarcoma, Kaposi's, in HIV infection, 605
Saw palmetto extract, in benign prostatic hypertrophy, 894–895
Sclerosis, anthroposophic view of, 871–873
Seasonal affective disorder, in women, 95
Sedation, for esophagogastroduodenoscopy, 330–332
for flexible sigmoidoscopy, 344

Selenium supplementation, 837
in HIV infection, 912
Self-assessment, of procedural proficiency, 237
Self-care, in folk medicine, 738–739
Self-consciousness, in anthroposophic view, 874
Semen analysis, after vasectomy, 448
in infertility, 198
Serotonin reuptake inhibitors, in depression, 88–90
Sexual abuse and assault, of adolescent girls, 63
of children, 69–71
of women. See *Violence, against women.*
Sexual dysfunction, herbal medicines in, 894
Sexual function, in menopause, 207
Sexually transmitted diseases, HIV infection as. See *Human immunodeficiency virus infection.*
in adolescent girls, 59
in women, **179–193**
chlamydial infections, 179–180
contraceptives and, 128
gonorrhea, 128, 180–181
herpes simplex virus infections, 182–183
human immunodeficiency virus infection as, 183–185, 471–472, 623
human papillomavirus infections, 186–188
in HIV infection, 621–622
in pregnancy, 143
pelvic inflammatory disease, 185–186
prevention of, 191–192
syphilis, 189–191
vulvovaginitis, 188–189
Shamans, 972–973
Sharps injury, HIV transmission in, prevention of, 473–474
Shingles, in HIV infection, 569–570
Shoulder, adhesive capsulitis of, Trager psychophysical integration in, 776
Sigmoidoscopy, flexible. See *Flexible sigmoidoscopy.*
Silicone implants, breast disease after, 157
Silver nitrate, in colposcopy, 251
Silymarin, in liver disease, 896
Similimum, in homeopathy, 850–851
Simulations, in procedural skill learning, 238
Sinusitis, nasopharyngoscopy in, 361
Skills, for office procedures, learning of. See *Competence, in office procedures.*
Skin, disorders of, cryotherapy for. See *Cryotherapy, for skin lesions.*
herbal medicines in, 896–897
in HIV infection, 604–605
menopause effects on, 206
Skin hooks, in colposcopy, 247
Sleep disorders, herbal medicines in, 898–899
Smoke evacuator, in electrosurgical loop excision, 286
Smoking, cessation of, in osteoporosis prevention, 934
in adolescent girls, 59–60
in women, **113–122**
cardiovascular disease and, 8–9
Social phobia, in women, 106–107
Soft tissue mobilization, in myofascial release, 765–767
Sound focus, in meditation, 797
Soy products, in hot flashes, 931
Spasm, colon, in sigmoidoscopy, 351–352
Spastic paraparesis, in HIV infection, 578–579
Specialization, in folk medicine, 738–739
Specula, for colposcopy, 245–246
for electrosurgical loop excision, 286
for endometrial biopsy, 311–312
Sperm evaluation, after vasectomy, 448
in infertility, 198
Spinal cord disorders, in HIV infection, 578–579
cytomegalovirus, 585–586
Spiritism, in folk medicine, 738
Spirituality, in alternative medicine, **963–976**
assessment of, 973–975
elements of, 964–967
physician-healer and, 972–973
practices in, 969–972
religiousness and, 967–969
risks of, 972
Spray technique, for cryotherapy, 274–275
SPV-30 boxwood extract, in HIV infection, 914
Squamocolumnar junction, of cervix, anatomy of, 252–253
identification of, 288
visualization of, 256–257
ST segments, ischemic, in exercise testing, 398–399
Stanford, for exercise testing, 387
Stavudine, in HIV infection, 538–539
Sterilization, male, vasectomy in. See *Vasectomy.*
Stoma, skin around, herbal medicines in, 897
Stomach, endoscopy of. See *Esophagogastroduodenoscopy.*
Stomatitis, from zalcitabine, 538
Stress, cardiovascular disease and, in women, 10
illness and, 789–790, 878
in caregivers, of HIV-infected persons, 683–684, 686–689

post-traumatic stress disorder after, in women, 107
reduction of, mind-body therapies in, 953
Stress testing. See *Exercise testing.*
Stroke, risk of, estrogen effects on, 4
Substance abuse. See *Drug abuse.*
Succussion, in homeopathy, 853
Suicide, in adolescent girls, 62–63
physician-assisted, requests for, in HIV infection, 612–614
Sulfadiazine, in toxoplasmosis, in HIV infection, 582
Supernatural influence, in folk medicine, 737
Support groups, spiritually focused, 971
Support services, for HIV infection. See under *Human immunodeficiency virus infection.*
Supraventricular arrhythmias, revelation of, in exercise testing, 397
Symphytum, in homeopathy, 857
Symptoms, totality of, in homeopathy, 851–852
Syphilis, in HIV infection, in women, 621–622
neurologic complications in, 587–588
testing for, 509
in women, 189–191, 621–622

T lymphocytes, CD4, in HIV infection, depletion of, 489–490
in pediatric patients, 652
measurement of, 511
monitoring of, 525–526, 548–549
viral interactions with, 533
cytotoxic, highly specific to HIV, 555–556
Tablework, in Trager psychophysical integration, 775–776
Tamoxifen, endometrial cancer risk and, 305–306
in menopause, 209
Tanner stages, of pubertal development, in girls, 54
3TC (lamivudine), in HIV infection, 539–540
Teen-age girls. See *Adolescent girls.*
Telangiectasia, sigmoidoscopic appearance of, 353
Temporomandibular joint, dysfunction of, myofascial release in, 769–770
Tenaculum, for endometrial biopsy, 311–312
Testosterone, in appetite stimulation, in HIV infection, 599
in vaginal dryness, in menopause, 933
Tests, of procedural proficiency, 237–239
Thalidomide, in HIV infection, 555, 599
Thawing, in cryotherapy, 270
Theodicy, folk medicine and, 729
Therapeutic touch, 777–782
approach in, 779–781
healing effects of, 970–971
principles of, 777–779
Thromboembolism, contraceptive use and, 127
Thrush, in HIV infection, 568–569
Tibetan meditation, 798
Tobacco use. See *Smoking.*
Topical anesthesia, for esophagogastroduodenoscopy, 330–331
Torus tubarius, endoscopy of, 369–370
Total lymphocyte count, in nutritional assessment, 45
Totality of symptoms, in homeopathy, 851–852
Touch, therapeutic. See *Therapeutic touch.*
Touch analysis, in myofascial release, 765
Toxoplasmosis, in HIV infection, 564–566
neurologic complications in, 581–583
testing for, 510
Trager psychophysical integration, 773–777
Training, for office procedure skills. See *Competence, in office procedures.*
Trance, hypnotic. See *Hypnosis.*
Transcendence, in spirituality, 965–966
Transcendental meditation, 797–798
Transcutaneous electrical nerve stimulation, in back pain, 751
Transferrin, measurement of, in nutritional assessment, 45
Transformation zone, of cervix, electrosurgical loop ablation of. See *Electrosurgical loop excision.*
Transvaginal ultrasonography, endometrial biopsy with, 307–308
in pregnancy, 419, 423–424
Transverse stroke, in soft tissue mobilization, 765–766
Trauma, homeopathic treatment of, 857
Treadmill testing. See *Exercise testing.*
Trichloroacetic acid, in human papillomavirus infections, 187
Trichomoniasis, in women, 188–189
Triglycerides, cardiovascular disease and, in women, 5–6
Trimethoprim-sulfamethoxazole, in *Pneumocystis carinii* pneumonia, 563, 570, 655, 657
in toxoplasmosis prophylaxis, 566
Trimetrexate, in *Pneumocystis carinii* pneumonia, in HIV infection, 570
Tuberculosis, in adolescent girls, 57
in HIV infection, 566, 670–671
testing for, 510
Tumor necrosis factor inhibitors, in HIV infection, 555

Ulcers, gastrointestinal, endoscopy in, 337
genital, in HIV infection, in women, 621

Ultrasonography, in dysfunctional uterine bleeding, 168
in prenatal care, 144
obstetric. See *Obstetric ultrasonography.*
transvaginal, endometrial biopsy with, 307–308
Universal precautions, in HIV transmission prevention, 474
Urinary frequency, in menopause, alternative medicine in, 933
Urinary tract infections, herbal medicines in, 896
in adolescent girls, 58
Urogenital system, atrophy of, in menopause, 206–207
Urologic disorders, herbal medicines in, 894–895
Uterus. See also *Endometrium.*
abnormal bleeding from. See *Dysfunctional uterine bleeding.*
cancer of, hormone replacement therapy and, 218
prevention of, 20–21
endometrial biopsy in. See *Endometrial biopsy.*
ultrasonography of, in pregnancy. See *Obstetric ultrasonography.*

Vaccination, for HIV infection, 470–471
Vacuolar myelopathy, in HIV infection, 578–579
Vagina, candidiasis of, in HIV infection, 619–620
dryness of, in menopause, alternative medicine in, 932–933
examination of, colposcopy in, 260
Vaginitis, atrophic, in menopause, 206–207
sexually transmitted, 188–189
Vaginosis, bacterial, 189
in HIV infection, 622
Valacyclovir, in genital herpes simplex virus infections, 183
in varicella zoster virus infections, in HIV infection, 569–570
Valerian, in insomnia, 898–899
Varicella zoster virus infection, in HIV infection, 569–570
Vasectomy, no-scalpel, **433–461**
codes for, 453
complications of, 446–447, 460
contraindications to, 434
documentation of, 453
equipment for, 436–437
follow-up in, 448–449
indications for, 434
informed consent for, 453, 457–461
objectives of, 433–434
outcomes of, 447–448
pathologic findings in, 445–446
patient education for, 449–452, 457–460
patient preparation for, 434–436
resources for, 434–455
reversal of, 448, 450–451
technique for, 438–445
Vasomotor changes, in menopause, 207–208
Vasovagal reaction, in endometrial biopsy, 317
in vasectomy, 446
Venflaxine, in depression, 89
Venous thromboembolism, contraceptive use and, 127
Ventricular arrhythmias, revelation of, in exercise testing, 397
Vertical stroke, in soft tissue mobilization, 765
Veterans Specific Activity Questionnaire, in exercise testing, 389
Video colposcope, 244–245
Video sigmoidoscope, 345, 347
Violence, against women, **67–81**
acute care in, 76–79
consequences of, 71–73
epidemiology of, 68
etiology of, 68–69
impact on children, 72–73
interventions for, 73–76
perpetrator characteristics in, 70–71
post-traumatic stress disorder in, 107
psychological consequences of, 72
victim characteristics in, 69–70
Visual standing analysis, in myofascial release, 764–765
Visual symptoms, in HIV infection, 603
Vital force, in homeopathy, 850
Vitalism, in folk medicine, 727–729
Vitamin(s), in HIV infection, 556
Vitamin A, in cancer prevention, 41
in disease prevention, 831–832
in HIV infection, 911
Vitamin B_{12}, dietary requirements of, in women, 42–43
Vitamin B group supplementation, in HIV infection, 912
Vitamin C, in cancer prevention, 41
in cardiovascular disease prevention, 39–40
in disease prevention, 833
in HIV infection, 910–911, 916–917
in osteoporosis prevention, 935
Vitamin D, in osteoporosis prevention and treatment, 31, 41–42, 935
Vitamin E, in cardiovascular disease prevention, 39–40
in disease prevention, 832–833
in HIV infection, 911
Vomiting. See *Nausea and vomiting.*
Vulva, examination of, colposcopy in, 260
vestibulitis of, herbal medicines in, 891

Vulvovaginitis, candidal, in HIV infection, 619–620
sexually transmitted, 188–189

Walking meditation, 799
Warts, from human papillomavirus, in women, 186–188
Wasting syndrome, in HIV infection, 598–599
in women, 622
management of, 521–523
Watershed area, in myocardial perfusion, 392
Weight, control of, in cardiovascular disease risk reduction, 7–8
in menopause, hormone replacement and, 210
in women, 46–48
loss of, in HIV infection, 598–599
control of, 521–523
Wellness promotion, alternative medicine in, 703, 719
Western blot test, for HIV infection, 485–486, 488
Witchcraft, folk medicine and, 727–729, 737
Withdrawal, in chemical dependence, 672–673
Women's health issues, adolescents' care, **53–65**
alcohol use, **113–122**
anxiety disorders, **103–111**
breast care and breast-feeding, **147–160**
cancer prevention and screening, **15–26**
cardiovascular disease. See *Cardiovascular disease.*
contraception. See *Contraception.*
depression, **83–101**
drug abuse, **113–122**
dysfunctional uterine bleeding, **161–178**
dysmenorrhea, **161–178**
folk medicine, 735
HIV infection, 183–185, **617–641**
caregiver role of, 685
contraception and, 128, 623
epidemiology of, 617–619
genital human papillomavirus infection in, 620–621
gynecologic problems in, 619–623
hormonal abnormalities in, 622
in pregnancy, testing for, 140–141
menstrual abnormalities in, 622
mortality rate in, 618
sexually transmitted diseases in, 621–622
transmission to/from, 623. See also *Human immunodeficiency virus infection, perinatal transmission of.*
vulvovaginal candidiasis in, 619–620
infertility, **195–204**
menopause. See *Menopause.*
mood disorders, **83–101**
nutrition, **37–51**
osteoporosis. See *Osteoporosis.*
preconception counseling, **123–133**, 149
pregnancy. See *Pregnancy.*
prenatal care. See *Prenatal care.*
sexually transmitted diseases. See *Sexually transmitted diseases.*
smoking, **113–122**
violence, **67–81**, 107
Wormwood, in malaria, 895

Yam creams, in hormone replacement therapy, 928

Zalcitabine, in HIV infection, 537–538
in pediatric patients, 650–652
Zidovudine, in HIV infection, 533–535
in encephalopathy, 577–578
in pediatric patients, 649–650
in primary stage, 490–491
myopathies from, 580–581
pharmacology of, 534
prophylactic, in occupational exposure, 513–514
perinatal, 473, 624–627, 647–648
resistance to, 535, 553
toxicity of, 534–535
with acyclovir, 567
Zinc supplementation, 836
in HIV infection, 912
Zoster, in HIV infection, 569–570
Zygote intrafallopian transfer, 203